

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Identification of the substance or mixture:

Product name : G5200c  
MSDS Number : 000001007354

#### 1.2 Use of the substance/mixture:

Use of the Substance/Preparation : Activator concentrate

#### 1.3 Company/undertaking identification

Agfa Corporation  
611 River Drive  
Center 3  
Elmwood Park, NJ 07407  
U.S.A.

Transport Emergency

Non-transportation

Call CHEMTREC : +1 800 4249300  
International : +1 703 5273887

Health Emergency Phone : +1 303 6235716  
Agfa Information Phone : +1 201 4402500

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

GHS (Globally Harmonized System of Classification and Labelling of Chemicals)	
• Hazard classes	Acute toxicity
Hazard categories	Category 4
Hazard statements	H302
• Hazard classes	Serious eye damage
Hazard categories	Category 1
Hazard statements	H314
• Hazard classes	Skin corrosion
Hazard categories	Category 1A
Hazard statements	H314
• Hazard classes	Skin sensitizer
Hazard categories	Category 1
Hazard statements	H317
• Hazard classes	Corrosive to metals.
Hazard categories	Category 1
Hazard statements	H290

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

### 2.2 Label elements:

Hazardous components which must be listed on the label :

Symbol(s)



GHS05



GHS07

Signal word	: DANGER	
Hazard statements	: H302	Harmful if swallowed.
	H314	Causes severe skin burns and eye damage.
	H317	May cause an allergic skin reaction.
	H290	May be corrosive to metals.
Precautionary statements: prevention	: P264	Wash ... thoroughly after handling.
	P270	Do not eat, drink or smoke when using this product.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P272	P261: Avoid breathing vapors. Contaminated work clothing should not be allowed out of the workplace.
Precautionary statements: response	: P234	Keep only in original container.
	P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor/#if you feel unwell.
	P330	Rinse mouth.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor/#
	P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P321	Specific treatment (see ... on this label).
	P361	Remove/Take off immediately all contaminated clothing.
	P363	Wash contaminated clothing before reuse.
	P302+P352	IF ON SKIN: Wash with plenty of water/#
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P390	Absorb spillage to prevent material damage.
Precautionary	: P405	Store locked up.

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

statements:

storage

P406

Store in a corrosive resistant/... container with a resistant inner liner.

Precautionary

: P501NA

Dispose of contents / container to an approved waste disposal facility.

statements:

disposal

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Mixture related information:

Aqueous activator concentrate, mainly consisting of:

### 3.2 Hazard ingredients:

The hazard and labelling information in this section is that of the individual ingredients. The corresponding information relative to this product as supplied is given in section 2.1.

#### Hazardous components

- Potassium hydroxide Concentration [%] : 5.0 - 10.0  
CAS-No. : 1310-58-3  
Hazard classes : Acute toxicity Oral, Skin corrosion, Serious eye damage, Corrosive to metals.  
Hazard categories : Category 4, Category 1A, Category 1, Category 1  
Hazard statements : H302, H314, H318, H290
- Diethylenetriamine Concentration [%] : 1.0 - 5.0  
CAS-No. : 111-40-0  
Hazard classes : Acute toxicity Oral, Acute toxicity Dermal, Acute toxicity Inhalation, Skin corrosion, Skin sensitizer, Specific target organ toxicity - single exposure  
Hazard categories : Category 4, Category 3, Category 2, Category 1B, Category 1, Category 3  
Hazard statements : H302, H311, H330, H314, H317, H335

#### Components with a community workplace exposure limit

- Potassium hydroxide
- Diethylenetriamine

### 3.3 Remark:

Full text of each relevant H-phrase is listed in section 16.

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

### SECTION 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures:

- Eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- Skin contact : Wash immediately with plenty of water and soap. If symptoms persist, seek medical advice.
- Ingestion : Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician immediately.
- Inhalation : Take person to fresh air. If necessary, seek medical advice.

#### 4.2 Most important symptoms and effects:

#### 4.3 Indication of immediate medical attention and special treatment needed:

### SECTION 5. FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

- Suitable extinguishing media : All extinguishing media are suitable.

#### 5.2 Special hazards arising from the substance or mixture:

- Further information : Product is not combustible.

#### 5.3 Advice for fire-fighters:

- Special protective equipment for fire-fighters : Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

- Personal precautions : See section : Exposure controls / personel protection.
- Additional advice : Wash away residues with plenty of water.

#### 6.2 Environmental precautions:

- Environmental precautions : For waste disposal see section 13.

#### 6.3 Methods and material for containment and cleaning up:

- Methods for cleaning up : Dike the spill if necessary. Soak up with absorbent material. Collect large spills into a properly labelled and sealable container. Prevent release into the drain, soil or surface water.

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

### 6.4 Reference to other sections:

For waste disposal see section 13.  
For personal protection see section 8.

## SECTION 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

Hygiene measures : Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product. Emergency showers and eye wash stations should be available.

### 7.2 Conditions for safe storage:

Requirements for storage areas and containers : Keep container tightly closed. Protect from direct sunlight.  
Advice on common storage : Store away from strong acids.

### 7.3 Specific end use:

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters:

#### 8.1.1 Components with occupational exposure limits resp. biological occupational exposure limits requiring monitoring:

##### 8.1.1.1 Occupational exposure limits:

#### Air limit values (US)

- Potassium hydroxide CAS-No.: 1310-58-3

Basis	Revision Date	Value	Type
ACGIH	2002	2 mg/m3	Ceiling
NIOSH	06 1997	2 mg/m3	REL
OSHA Z1A	1989	2 mg/m3	Ceiling
TN OEL	06 2008	2 mg/m3	Ceiling

- Diethylenetriamine CAS-No.: 111-40-0

Basis	Revision Date	Value	Type
ACGIH	2011	1 ppm	TWA
NIOSH	2010	4 mg/m3	REL
OSHA Z1A	1989	1 ppm 4 mg/m3	TWA

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

TN OEL	06 2008	1 ppm 4 mg/m3 TWA 1 ppm
--------	---------	-------------------------------

### Air limit values (CA)

- Potassium hydroxide

CAS-No.: 1310-58-3

Basis	Revision Date	Value	Type
CAD AB OEL	01 1997	2 mg/m3	CEILING
CAD BC OEL	01 1997	2 mg/m3	CEILING
CAD ON OEL	09 2000	2 mg/m3	CEV
OEL (QUE)	12 2008	2 mg/m3	CEILING
CAD SK OEL	05 2009	2 mg/m3	Ceiling
CAD MB OEL	03 2011	2 mg/m3	CEILING

- Diethylenetriamine

CAS-No.: 111-40-0

Basis	Revision Date	Value	Type
OEL (QUE)	12 2008	4.2 mg/m3	TWA
CAD AB OEL	07 2009	4.2 mg/m3	TWA
CAD BC OEL	07 2007	1 ppm	TWA
CAD ON OEL	11 2010	1 ppm	TWAEV
CAD SK OEL	05 2009	1 ppm	8 HR ACL
CAD SK OEL	05 2009	2 ppm	15 MIN ACL
CAD MB OEL	03 2011	1 ppm	TWA

### Biological limit values (US)

We are not aware of any national exposure limit.

### Biological limit values (CA)

We are not aware of any national exposure limit.

#### 8.1.1.2 Additional exposure limits under the conditions of use:

#### 8.2 Exposure controls:

##### Occupational exposure controls:

- Instruction measures to prevent exposure:

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

### ➤ Technical measures to prevent exposure:

### ➤ Personal measures to prevent exposure:

- Respiratory protection : Under normal conditions of use, respirator protection is not required. If respirators are used, institute a program in accordance with OSHA standard 29CFR1910.134 or Canada CSA Standard Z94.4-02.
- Hand protection : Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness  $\geq 0.36$  mm, breakthrough time  $> 480$  min), nitrile rubber (thickness  $\geq 0.38$  mm, breakthrough time  $> 480$  min) or neoprene (thickness  $\geq 0.65$  mm, breakthrough time  $> 240$  min). For intermittent splash protection corresponding gloves with breakthrough times  $> 60$  min can be used. Avoid gloves made of: natural latex.
- Eye protection : Safety goggles. EN 166.
- Personal protective equipment : Employees should wash their hands and face before eating, drinking, or using tobacco products. Emergency showers and eye wash stations should be available. Educate and train employees in the safe use and handling of this product.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Basic physical and chemical properties:

#### 9.1.1 Appearance:

- State of matter : Liquid
- Form : Liquid.
- Color : Yellow
- Odor : Nearly odourless
- Odor threshold : No data available

#### 9.1.2 Important health, safety and environmental information:

- pH (25 °C) :  $> 13.0$
- Melting point/range :  $< 0$  °C
- Boiling point/range :  $> 100$  °C
- Flash point :  $> 93.33$  °C
- Autoignition temperature : No data available
- Vapour pressure : No data available
- Relative vapour density : Not applicable
- Relative density (20 °C) : 1.140
- Density : No data available
- Solubility/qualitative : Miscible with water at all ratios.
- Water solubility : completely soluble
- Partition coefficient (n- : No data available

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

octanol/water)  
Viscosity, dynamic : No data available  
Viscosity, kinematic : No data available  
Lower explosion limit : Not applicable  
Upper explosion limit : Not applicable  
Evaporation rate : No data available  
Flammability (solid, gas) : Not flammable.

### 9.2 Other information:

VOC content : 0.0 g/l  
VOC content excluding water  
Ignition temperature : Not applicable

## SECTION 10. STABILITY AND REACTIVITY

### 10.1 Reactivity:

### 10.2 Chemical stability:

Stability : The product is stable under normal conditions of storage and use.

### 10.3 Possibility of hazardous reactions:

### 10.4 Conditions to avoid:

Conditions to avoid : Avoid contact with strong acids. Remove all chemicals and rinse the processing tanks thoroughly with water before using any cleansing products.

### 10.5 Materials to avoid:

### 10.6 Hazardous decomposition products:

Hazardous decomposition products : None

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Causes severe burns.

May cause sensitization by skin contact.

Toxicity data specific for individual ingredients in their pure state:

### Toxicokinetics, metabolism and distribution:



# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

### Acute effects (toxicity tests):

#### > Acute Toxicity

- Potassium hydroxide

	Effect dose	Species	Value	Method
Acute oral toxicity	LD50	rat	273 mg/kg	Literature.
Acute dermal toxicity	No data available			
Acute inhalation toxicity	No data available			

- Diethylenetriamine

	Effect dose	Species	Value	Method
Acute oral toxicity	LD50	rat	1,620 mg/kg	OECD Test Guideline 401
Acute dermal toxicity	LD50	rabbit	672 mg/kg	Literature.
Acute inhalation toxicity	LC50	rat	0.3 mg/l/ 4 h	OECD Test Guideline 403

#### > Specific target organ toxicity (STOT):

- Potassium hydroxide

Specific effects	Affected organs
Exposure to the substance can cause chemical burns. The substance works corrosive on the eyes, the skin and the respiratory tract. If swallowed, corrosive. Inhalation may cause lung inflammation and/or pulmonary edema, only after symptoms of corrosive effects on the mucous membranes of eyes and/or upper respiratory tract. In severe cases chance of fatality.	

- Diethylenetriamine

Specific effects	Affected organs
May cause irritation of respiratory tract. Pulmonary edema after damage respiratory tract.	

#### > Irritant and corrosive effects:

- Potassium hydroxide

	Exposure time	Species	Evaluation	Method
Primary irritation to the skin		rabbit	Corrosive	Literature.
Irritation to eyes		rabbit	Causes serious eye irritation.	OECD Test Guideline 405

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

	Corrosive to eyes.
--	--------------------

- Diethylenetriamine

	Exposure time	Species	Evaluation	Method
Primary irritation to the skin		rabbit	Causes burns.	Literature.
Irritation to eyes		rabbit	Causes burns.	Literature.

### ➤ Irritation to the respiratory tract:

- Potassium hydroxide

No data available

- Diethylenetriamine

May cause irritation of respiratory tract.

### ➤ Sensitisation:

- Potassium hydroxide

Species	Evaluation	Method
guinea pig		Literature.
Based on available data, the classification criteria are not met.		

- Diethylenetriamine

Species	Evaluation	Method
mouse	sensitising effects	Mouse local lymphoma assay.

### ➤ Aspiration hazard:

- Potassium hydroxide

No data available

- Diethylenetriamine

No data available

### Sub-acute, sub-chronic and chronic toxicity

### ➤ Repeated dose toxicity:

- Potassium hydroxide

No data available

- Diethylenetriamine

	Effect dose	Value	Exposure time	Species
				rat
Method: Literature. Repeated or prolonged exposure: The substance can affect the liver, causing damage to the body.				

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

### ➤ Specific target organ toxicity (STOT):

- Potassium hydroxide

Repeated exposure	Specific effects	Affected organs
	Skin contact may be damaged by eczema. The dust may affect the upper and lower airways, causing inflammation and impaired lung function. Erosion of the teeth may occur.	

- Diethylenetriamine

May cause damage to organs through prolonged or repeated exposure. Chronic exposure causes drying effect on the skin and eczema. Repeated or prolonged exposure: The substance can affect the liver, causing damage to the body. Can cause eczema by hypersensitivity.

### ➤ CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):

#### - Carcinogenicity

- Potassium hydroxide

No carcinogenic effects observed at the doses tested.

- Diethylenetriamine

Route of exposure	Species	Exposure time
	Method: Literature. Under special conditions there is a possibility to generate nitrosamines. Animal studies showed that nitrosamines have carcinogenetic properties.	

#### - Mutagenicity

- Potassium hydroxide

No data available

- Diethylenetriamine

Based on available data, the classification criteria are not met.

#### - Genetic toxicity in vitro

- Potassium hydroxide

Type	Test system	Concentration	Result
Ames test	Escherichia coli WP2 uvr A; Salmonella typhimurium TA98, TA100, TA535, TA1537 Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Based on available data, the classification criteria are not met.		negative

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

- Diethylenetriamine

Type	Test system	Concentration	Result
Ames test	Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Based on available data, the classification criteria are not met.		negative

### - Genetic toxicity in vivo

- Potassium hydroxide  
No data available

- Diethylenetriamine

Route of exposure	Species	Exposure time	Result
	mouse (male/female) Method: Mutagenicity (micronucleus test) Based on available data, the classification criteria are not met.		

### - Teratogenicity

- Potassium hydroxide  
No data available
- Diethylenetriamine  
No data available

### - Toxicity to reproduction

- Potassium hydroxide  
No data available
- Diethylenetriamine  
No data available

### > Summarised evaluation of the CMR properties:

- Potassium hydroxide
  - Carcinogenicity : Animal testing did not show any carcinogenic effects.
  - Mutagenicity : No data available
  - Teratogenicity : No data available
  - Toxicity to reproduction : No data available
- Diethylenetriamine
  - Carcinogenicity : Based on available data, the classification criteria are not met.
  - Mutagenicity : Based on available data, the classification criteria are not met.
  - Teratogenicity : No data available
  - Toxicity to reproduction : No data available

### Experiences made in practice:

Hazard labelling of this preparation or substance : see section 15.

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Ecotoxicity:

- Potassium hydroxide

	Effect dose	Exposure time	Species	Value
Toxicity to fish	LC50	24 h	Poecilia reticulata (guppy)	165 mg/l
Toxicity to daphnia	Method: Literature. Based on available data, the classification criteria are not met.			
Toxicity to algae	No data available			
Toxicity to bacteria	No data available			

- Diethylenetriamine

	Effect dose	Exposure time	Species	Value
Toxicity to fish	LC50	96 h	Poecilia reticulata (guppy)	430 mg/l
Toxicity to fish	Method: Literature. Based on available data, the classification criteria are not met.			
Toxicity to daphnia	NOEC	672 h	Pisces (fish)	> 10 mg/l
Toxicity to daphnia	EC50	48 h	Daphnia magna	64.6 mg/l
Toxicity to daphnia	Method: Tested according to Directive 92/69/EEC.			
Toxicity to daphnia	EC50	48 h	Daphnia magna	16 mg/l
Toxicity to daphnia	Method: DIN 38412			
Toxicity to daphnia	NOEC	588 h	Daphnia magna	5.6 mg/l
Toxicity to algae	EC50	72 h	selenastrum capricornutum	1,164 mg/l
Toxicity to algae	Method: OECD Test Guideline 201			
Toxicity to bacteria	Based on available data, the classification criteria are not met.			
Toxicity to bacteria	EC0	3 h	Bacteria	6 mg/l
Toxicity to bacteria	Method: Literature.			

### 12.2 Persistence and degradability:

#### Physico-chemical removability

- Potassium hydroxide

Neutralization is normally necessary before waste water is discharged into water treatment plants.

- Diethylenetriamine

No data available

#### Chemical Oxygen Demand (COD)

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

- Potassium hydroxide  
No data available

- Diethylenetriamine

Value	Method
1,315 mg/g	Literature.

### Adsorbed organic bound halogens (AOX)

- Potassium hydroxide  
Product does not contain any organic halogens.

- Diethylenetriamine

Value	Method
	Literature. Product does not contain any organic halogens.

### Biodegradation

- Potassium hydroxide  
The methods for determining biodegradability are not applicable to inorganic substances.

- Diethylenetriamine

Value	Exposure time	Method	Evaluation
87 %		OECD 301D Assessment of biological degradability	According to the results of tests of biodegradability this product is considered as being readily biodegradable.

### Biochemical Oxygen Demand (BOD)

- Potassium hydroxide  
No data available

- Diethylenetriamine  
No data available

### 12.3 Bioaccumulative potential:

#### Partition coefficient (n-octanol/water)

No data available

#### Bioconcentration factor (BCF)

- Potassium hydroxide  
Does not bioaccumulate.

- Diethylenetriamine

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

Value	Species	Method
<= 6.3	Cyprinus carpio (carp)	OESO 305C
Accumulation in aquatic organisms is unlikely.		

### 12.4 Mobility in soil:

- Potassium hydroxide  
No information available.

- Diethylenetriamine  
completely miscible

### Henry's constant

- Potassium hydroxide

Value	Temperature	Method
		No information available.

- Diethylenetriamine

Value	Temperature	Method
		No information available.

### Transport between environmental compartments

- Potassium hydroxide  
Transport between environmental compartments can be expected.

- Diethylenetriamine

Type	Medium	Value	Method
		log Koc: 3.4 to 4.6	Literature.
Transport between environmental compartments is not expected.			

### 12.5 Results of PBT and vPvB assessment:

- Potassium hydroxide

This product does not meet the criteria concerning PBT or vPvB substances as described in Annex XIII of the REACH regulation (1907/2006 EC)

- Diethylenetriamine

This product does not meet the criteria concerning PBT or vPvB substances as described in Annex XIII of the REACH regulation (1907/2006 EC)

### 12.6 Other adverse effects:

- Potassium hydroxide  
Harmful to aquatic organisms.

- Diethylenetriamine

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

This substance is not in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer. Neutralization will reduce ecotoxic effects.

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Waste disposal methods

Waste disposal should be in accordance with existing federal, state and local environmental control laws. Discharge to sewer may require approval of permitting authority and may require pretreatment.

#### Empty containers.

Recondition or dispose of empty container in accordance with governmental regulations.

#### US. RCRA Hazardous Waste Classification (40 CFR 261)

When discarded in its purchased form, this product meets the criteria of corrosivity, and should be managed as a hazardous waste (EPA Hazardous Waste Number D002).

### SECTION 14. TRANSPORT INFORMATION

#### CFR\_ROAD

UN-No : 1814  
Proper shipping name : Potassium hydroxide, solution  
Class : 8  
Packing group : II  
Labelling No. : 8

#### CFR\_RAIL

UN-No : 1814  
Proper shipping name : Potassium hydroxide, solution  
Class : 8  
Packing group : II  
Labelling No. : 8

#### CFR\_INWTR

UN-No : 1814  
Proper shipping name : Potassium hydroxide, solution  
Class : 8  
Packing group : II  
Labelling No. : 8

#### TDG\_ROAD

UN-No : 1814  
Proper shipping name : POTASSIUM HYDROXIDE SOLUTION  
Class : 8  
Packing group : II  
Labelling No. : 8

#### TDG\_RAIL



# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

UN-No : 1814  
Proper shipping name : POTASSIUM HYDROXIDE SOLUTION  
Class : 8  
Packing group : II  
Labelling No. : 8

### TDG\_INWTR

UN-No : 1814  
Proper shipping name : POTASSIUM HYDROXIDE SOLUTION  
Class : 8  
Packing group : II  
Labelling No. : 8

### IMO / IMDG

UN-No : 1814  
Proper shipping name : POTASSIUM HYDROXIDE SOLUTION  
Class : 8  
Packing group : II  
Labelling No. : 8  
EmS : F-A, S-B  
Marine pollutant : No

### ICAO / IATA cargo aircraft only

UN-No : 1814  
Proper shipping name : Potassium hydroxide solution  
Class : 8  
Packing group : II  
Labelling No. : 8  
Packing instruction : 855

### ICAO / IATA passenger and cargo aircraft

UN-No : 1814  
Proper shipping name : Potassium hydroxide solution  
Class : 8  
Packing group : II  
Labelling No. : 8  
Packing instruction : 851

## SECTION 15. REGULATORY INFORMATION

### US. Toxic Substances Control Act (TSCA)

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substance Control Act (U.S. EPA TSCA) inventory.

### US. OSHA Classification

This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



## G5200c

SUBID:000001007354

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

### US. SARA 311/312 Hazard Categories

Acute Health Hazard. Chronic Health Hazard

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

- Potassium hydroxide : Reportable quantity: 1,000 lbs

### US. California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other harm.

### State Right-to-Know Information

The following chemicals are specifically listed by individual states. Other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

### US. Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

- |                       | <u>CAS-No.</u> | <u>Concentration [%]</u> |
|-----------------------|----------------|--------------------------|
| • Potassium hydroxide | 1310-58-3      | >= 5.0 - <= 10.0         |

### US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

- |                       | <u>CAS-No.</u> | <u>Concentration [%]</u> |
|-----------------------|----------------|--------------------------|
| • Potassium hydroxide | 1310-58-3      | >= 5.0 - <= 10.0         |

### US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

- |                       | <u>CAS-No.</u> | <u>Concentration [%]</u> |
|-----------------------|----------------|--------------------------|
| • Potassium hydroxide | 1310-58-3      | >= 5.0 - <= 10.0         |

### US. Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 28-21-1 et. seq.)

- |                       | <u>CAS-No.</u> | <u>Concentration [%]</u> |
|-----------------------|----------------|--------------------------|
| • Potassium hydroxide | 1310-58-3      | >= 5.0 - <= 10.0         |

US. Massachusetts, New Jersey, Pennsylvania or Rhode Island Right to Know Substance Lists :  
See Section 2.

### Canadian WHMIS Classification

- E : Corrosive Material  
D1B : Toxic material causing immediate and serious toxic effects

### Canadian Environmental Protection Act (CEPA)

This product contains the following components listed on the Canadian NDSL list. All other components are on the Canadian DSL list.

- 1,4-dimethyl-3-thio-5-(3-butenyl)triazoliumhydroxi de

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard Rule - 29 CFR 1910.1200 and the Canadian Hazardous Products Act



**G5200c**

**SUBID:000001007354**

Version 5

Print Date 08-05-2015

Revision Date 04-07-2015

## SECTION 16. OTHER INFORMATION

### Text of H-phrases referred to under headings 2 and 3:

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.

This MSDS is replacing Agfa MSDS number 782G

**This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. This information is furnished without warranty, expressed or implied, and is believed to be accurate to the best knowledge of Agfa Corporation. The data on this SDS relates only to the specific material designated herein. Agfa Corporation assumes no legal responsibility for use or reliance upon these data.**